

UV - 80



UV - 80



UV - 40



UV - 80



UV - 80



UV - 80



UV - 60



UV - 80




UV - 80




UV - 80



UV - 40



UV - 80




UV - 80



UV - 80



UV - 60



UV - 40




UV - 80



UV - 80




UV - 80



UV - 40




UV - 80



UV - 80



UV - 80



UV - 80



UV - 80



UV - 80



UV - 80



UV - 60



UV - 60




UV - 80



UV - 80



UV - 80



UV - 80



UV - 80




UV - 60



UV - 60



UV - 60



UV - 60



UV - 60




UV - 60




UV - 80




UV - 80



UV - 60




UV - 80



UV - 80




UV - 60




UV - 60




UV - 60




UV - 80




UV - 40




UV - 80




UV - 40



UV - 60



UV - 60



UV - 40



UV - 60



UV - 40



UV - 60



UV - 60



UV - 60




UV - 60



UV - 60





DÉCATALOGUÉE = En fin de série*
SUPPRIMÉE = N'est plus disponible nulle part

* Derniers rouleaux disponibles sur [SHOP.MITJAVILA.COM](https://shop.mitjavila.com)

CARACTERISTIQUES

								
Matière	Poids g/m ²	Transmission Chaleur Thermique	Coefficient UV	Résistance aux UV	Résistance à la déchirure	Résistance au FEU (NF 92503)	Colonne d'eau (Schmerber)	Garantie
Toile 100 % Acrylique teinté masse	300g/m ²	Très bon effet à effet modéré selon coloris	De 80 à 40% selon coloris	Très bon	Ch. 4 Tr. 2,94	-	300	5 ans