


CLASSIC VERANDA **Awning** or XL



Classic Veranda Awning or XL



- 100% aluminum product
- Protect your sunroom in the summer
- Forget the greenhouse effect
- Easy to assemble and install
- Adaptable to all types of sunrooms
- Motorized with automation
- Modular (several bays) and in XL version
- A multitude of structure colors and fabrics

MITJAVILA

France : professionnels@mitjavila.com
Export : export-fr@mitjavila.com
SPL (Nice) : spl-nice@mitjavila.com

CLASSIC VERANDA

Awning or XL

VERANDA AWNING Classic


Projection : from 1,50m to 4,25m max

Width : 5m max or up to 16m in 4 modules (of 4m)

Box dimensions :


Height : 140 mm
Width : 170 mm

The entire awning is fixed on the profiles of the veranda.
There are several models of supports for fixing according to the profiles of the sunroom.



JSV01

Connection flange for the classic veranda, used for joining modules



VERANDA AWNING XL

Projection : from 1,50m to 4,25m max

Width : 6m max

Dimensions :


Height : 140 mm
Width : 170 mm

The XL version has the same properties as the Classic version except it is reinforced to benefit a more important projection 25m² of surface. Load bar and different fixing supports.



CLASSIC VERANDA


Awning or XL



The load bar incorporates a mechanism that ensures constant fabric tension both during retraction and the deployment.

Veranda awning XL

The load bar of the awning XL awning has 2 functions, always ensures the tensioning of the fabric and to reinforce the structure of the awning, which makes it possible to cover an area greater than 25m².



Store véranda **Classique**



Store véranda **XL**


TECHNICAL INFORMATION

Classic veranda


Installation dimensions.

Adjustment of the motors easily accessible from the front


1 Module / 1 motor




2 Modules / 2 motors



3 rows / 3 motors





4 rows / 4 motors




Veranda XL

Installation dimensions.



FINISHING

Choice of White glossy RAL 9010 or Sandy Teflon:



Limite d'utilisation - Use limits Limite de utilización - Verwendungsgrenze			
1 MOTOR	Width	Projection	
	6,00 m	4,25 m	25m ²
	5,00 m	5,00 m	25m ²



www.mitjavila.com

MITJAVILA

France : professionnels@mitjavila.com
Export : export-fr@mitjavila.com
SPL (Nice) : spl-nice@mitjavila.com