


# POLY-TOP retractable pergola



## ADVANTAGE:



- New profiles
- Inclination of the structure from 5 to 10 °
- Simplified assembly.
- Opening and closing of the panels thanks to the tubular motor with remote control.
- Structure adapted to 32 mm polycarbonate panels (translucent or opaque) or 32 mm Thermotop® panels.
- Panel width up to 1.20m in polycarbonate or 1.50m in Thermotop®.
- Optional LED lighting.
- Multipurpose Pergola: Terrace, patio or covered vehicle.

**MITJAVILA**

France : professionnels@mitjavila.com  
Export : export-fr@mitjavila.com



# POLY-TOP retractable pergola

## TECHNICAL INFORMATION



Fixing plate to the floor: **ST4502**

Fixing plate to the floor: **ST45**



The new POLY-TOP retractable pergola is compatible with all 32 mm thick panels, either with polycarbonate or Thermotop® panels in order to adjust the light and temperature of your terrace according to your needs.

**REMEMBER!** The polycarbonate panels are susceptible of darkening in the extremities due to their structure

Thermotop panels available in:

- White and White ( two sides )

- Anthracite and white (Inner side )

Polycarbonate panels





Thermotop® panels



# POLY-TOP retractable pergola

## TECHNICAL INFORMATION



### LED


- Adjustable LED lighting sides (3 sides maximum)
  - Control of centralized LED lighting with remote control
- Opening 2 panels 2/3




### STANDARD FINISHES




RAL 7016  
Textured anthracite finish




RAL 9010  
Shiny white finish



# POLY-TOP retractable pergola



Panel motorization system



Lateral water evacuation system.  
The gutter of the first panel directs the water towards the side profiles even when open.

Find us on



@groupe.mitjavila



@Mitjavila.Innovation



Mitjavila\_Innovation

 **MITJAVILA**

Export: by phone to + (34) 972 52 80 33  
or by mail: export-es@mitjavila.com